


Product Catalogue



CORAM
TOOLS

CORAM TOOLS
THE LEADING BRAND IN
OSCILLATING SAW BLADES



CORAM
TOOLS

PACKAGING TYPE'S BELOW



**wood
nails**

- 001 Clamshell contains one saw blade**
- 003 Clamshell contains three saw blades**
- 005 Clamshell contains five saw blades**
- 010 Box contains 10 saw blades**
- 025 Box contains 25 saw blades**
- 050 Box contains 50 saw blades**
- 100 Box contains 100 saw blades**
- 300 Box contains 300 saw blades**
- 600 Box contains 600 saw blades**

The Longest Blade on the Market



AVAILABILITY

MULTI-FIT :

MJI 035

MJI 045

MJI 055

MJI 065

MSI 032

MSI 042

MUI 035

MUI 065

MUB 028

MUB 043

MSB 032

MSB 042

MSB 035

MSB 065

MUB 035

MUB 065

MRB 032

Clamshell 1 each

Clamshell 3 each

Clamshell 5 each

Box of 10

Box of 25

Box of 50

Box of 100

OPEN-FIT :

OJI 035

OJI 045

OJI 055

OJI 065

OSI 032

OSI 042

OUI 035

OUI 065

OUB 028

OUB 043

OSB 032

OSB 042

OSB 035

OSB 065

OUB 035

OUB 065

ORB 032

Clamshell 1 each

Clamshell 3 each

Clamshell 5 each

Box of 10

Box of 25

Box of 50

Box of 100

QUICK-FIT :

QJI 035

QJI 045 N/A

QJI 055 N/A

QJI 065

QSI 032

QSI 042

QUI 035

QUI 065

QUB 028

QUB 043

QSB 032

QSB 042

QSB 035

QSB 065

QUB 035

QUB 065

QRB 032

Clamshell 1 each

Clamshell 3 each

Clamshell 5 each

Box of 10

Box of 25


Box of 50

Box of 100

MULTI-FIT ATTACHMENT (M)

⇒ FITS FOLLOWING TOOL BRANDS

- | | | |
|-------------|-------------|------|
| ⇒ Milwaukee | Bosch | Fein |
| ⇒ Ridgid | Craftsman | Skil |
| ⇒ Dremel | Mastercraft | AEG |
| ⇒ Makita | And More... | |



MJI 035

MJI 045

MJI 055

MJI 065

2 1/2 inch 51 mm precise preciso wood madera plywood contrachapado
 1 1/2 inch 38 mm no drywall no cartón, en seco no aluminum no aluminio careful cuidadoso no nails no clavos
 Fits MILWAUKEE RIDGID DREMEL MAKITA and more
 wood precise

2 1/2 inch 51 mm precise preciso wood madera plywood contrachapado
 1 1/2 inch 38 mm no drywall no cartón, en seco no aluminum no aluminio careful cuidadoso no nails no clavos
 Fits MILWAUKEE RIDGID DREMEL MAKITA and more
 wood precise

2 1/2 inch 51 mm precise preciso wood madera plywood contrachapado
 2 1/2 inch 51 mm no drywall no cartón, en seco no aluminum no aluminio careful cuidadoso no nails no clavos
 Fits MILWAUKEE RIDGID DREMEL MAKITA and more
 wood precise

2 1/2 inch 51 mm precise preciso wood madera plywood contrachapado
 2 1/2 inch 51 mm no drywall no cartón, en seco no aluminum no aluminio careful cuidadoso no nails no clavos
 Fits MILWAUKEE RIDGID DREMEL MAKITA and more
 wood precise

MSI 032

MSI 042

MUI 035

MUI 065

3 1/2 inch 77 mm wood madera plywood contrachapado PVC PVC aluminum aluminio careful cuidadoso max. level 4 max. nivel 4
 Fits MILWAUKEE RIDGID DREMEL MAKITA and more
 wood plywood

3 1/2 inch 77 mm wood madera plywood contrachapado PVC PVC aluminum aluminio careful cuidadoso max. level 4 max. nivel 4
 Fits MILWAUKEE RIDGID DREMEL MAKITA and more
 wood plywood

2 1/2 inch 51 mm PVC PVC wood madera plywood contrachapado aluminum aluminio no drywall no cartón, en seco no nails no clavos careful cuidadoso
 Fits MILWAUKEE RIDGID DREMEL MAKITA and more
 wood PVC

2 1/2 inch 51 mm PVC PVC wood madera plywood contrachapado aluminum aluminio no drywall no cartón, en seco no nails no clavos careful cuidadoso
 Fits MILWAUKEE RIDGID DREMEL MAKITA and more
 wood PVC

MUB 028

MUB 043

MSB 032

MSB 042

2 1/2 inch 51 mm nails clavos metal metal wood madera drywall const. en seco aluminum aluminio careful cuidadoso max. level 4 max. nivel 4
 Fits MILWAUKEE RIDGID DREMEL MAKITA and more
 metal nails

2 1/2 inch 51 mm nails clavos metal metal wood madera drywall const. en seco aluminum aluminio careful cuidadoso max. level 4 max. nivel 4
 Fits MILWAUKEE RIDGID DREMEL MAKITA and more
 metal nails

3 1/2 inch 77 mm wood madera plywood contrachapado nails clavos no metal no metal careful cuidadoso Extended Life max. level 4 max. nivel 4
 Fits MILWAUKEE RIDGID DREMEL MAKITA and more
 wood nails

3 1/2 inch 77 mm wood madera plywood contrachapado nails clavos no metal no metal careful cuidadoso Extended Life max. level 4 max. nivel 4
 Fits MILWAUKEE RIDGID DREMEL MAKITA and more
 wood nails

MSB 035

MSB 065

MUB 035

MUB 065

2 1/2 inch 51 mm Extended Life wood madera plywood contrachapado drywall const. en seco nails clavos no metal no metal careful cuidadoso
 Fits MILWAUKEE RIDGID DREMEL MAKITA and more
 wood nails

2 1/2 inch 51 mm Extended Life wood madera plywood contrachapado drywall const. en seco nails clavos no metal no metal careful cuidadoso
 Fits MILWAUKEE RIDGID DREMEL MAKITA and more
 wood nails


2 1/2 inch 51 mm Extended Life plywood contrachapado wood madera PVC PVC nails clavos metal metal careful cuidadoso
 Fits MILWAUKEE RIDGID DREMEL MAKITA and more
 wood metal

2 1/2 inch 51 mm Extended Life plywood contrachapado wood madera PVC PVC nails clavos metal metal careful cuidadoso
 Fits MILWAUKEE RIDGID DREMEL MAKITA and more
 wood metal

OPEN-FIT ATTACHMENT (O)

⇒ FITS FOLLOWING TOOL BRANDS

- | | | |
|-----------|------------|-------|
| ⇒ Dewalt | Makita | Fein |
| ⇒ Stanlay | Milwaukee | Bosch |
| ⇒ Ridgid | Rockwell | Skil |
| ⇒ Dremel | And More.. | |



OJI 032

2 1/2 inch 51 mm
precise preciso
wood madera
plywood contrachapado

1 inch 25 mm

<<<>

careful cuidadoso

no drywall no contr. en seco
no aluminium no aluminio
no nails no clavos

wood precise

OJI 045

2 1/2 inch 51 mm
precise preciso
wood madera
plywood contrachapado

1 inch 25 mm

<<<>

careful cuidadoso

no drywall no contr. en seco
no aluminium no aluminio
no nails no clavos

wood precise

OJI 055

2 1/2 inch 51 mm
precise preciso
wood madera
plywood contrachapado

2 1/2 inch 55 mm

<<<>

careful cuidadoso

no drywall no contr. en seco
no aluminium no aluminio
no nails no clavos

wood precise

OJI 065

2 1/2 inch 51 mm
precise preciso
wood madera
plywood contrachapado

2 1/2 inch 55 mm

<<<>

careful cuidadoso

no drywall no contr. en seco
no aluminium no aluminio
no nails no clavos

wood precise

OSI 032

3 1/2 inch 77 mm
1 inch 25 mm

<<<>

careful cuidadoso

max. level 4
máx. nivel 4

wood madera
plywood contrachapado
PVC PVC
aluminium aluminio
no nails no clavos

wood plywood

OSI 042

3 1/2 inch 77 mm
1 inch 25 mm

<<<>

careful cuidadoso

max. level 4
máx. nivel 4

wood madera
plywood contrachapado
PVC PVC
aluminium aluminio
no nails no clavos

wood plywood

OUI 035

2 1/2 inch 51 mm
1 inch 25 mm

<<<>

careful cuidadoso

PVC PVC
wood madera
plywood contrachapado
aluminium aluminio
no drywall no contr. en seco
no nails no clavos

wood PVC

OUI 065

2 1/2 inch 51 mm
2 1/2 inch 55 mm

<<<>

careful cuidadoso

PVC PVC
wood madera
plywood contrachapado
aluminium aluminio
no drywall no contr. en seco
no nails no clavos

wood PVC

OUB 028

2 1/2 inch 51 mm
1 1/2 inch 28 mm

<<<>

careful cuidadoso

max. level 4
máx. nivel 4

nails clavos
metal metal
wood madera
drywall constr. en seco
aluminium aluminio

metal nails

OUB 043

2 1/2 inch 51 mm
1 1/2 inch 28 mm

<<<>

careful cuidadoso

max. level 4
máx. nivel 4

nails clavos
metal metal
wood madera
drywall constr. en seco
aluminium aluminio

metal nails

OSB 032

3 1/2 inch 77 mm
1 1/2 inch 28 mm

<<<>

careful cuidadoso

Extended Life

wood madera
plywood contrachapado
nails clavos
no metal no metal
max. level 4
máx. nivel 4

wood nails

OSB 042

3 1/2 inch 77 mm
1 1/2 inch 28 mm

<<<>

careful cuidadoso

Extended Life

wood madera
plywood contrachapado
nails clavos
no metal no metal
max. level 4
máx. nivel 4

wood nails

OSB 035

2 1/2 inch 51 mm
1 inch 25 mm

<<<>

careful cuidadoso

Extended Life
wood madera
plywood contrachapado
drywall constr. en seco
nails clavos
no metal no metal

wood nails

OSB 065

2 1/2 inch 51 mm
2 1/2 inch 55 mm

<<<>

careful cuidadoso

Extended Life
wood madera
plywood contrachapado
drywall constr. en seco
nails clavos
no metal no metal

wood nails

OSB 035

2 1/2 inch 51 mm
1 1/2 inch 25 mm

<<<>

careful cuidadoso

Extended Life
wood madera
plywood contrachapado
drywall constr. en seco
nails clavos
no metal no metal

wood nails

OSB 065

2 1/2 inch 51 mm
2 1/2 inch 55 mm

<<<>

careful cuidadoso

Extended Life
wood madera
plywood contrachapado
drywall constr. en seco
nails clavos
no metal no metal

wood nails


QUICK-FIT ATTACHMENT (Q)

⇒ **FITS FOLLOWING TOOL BRANDS**

⇒ **Fein** (Starlock)

⇒ **Bosch** (Starlock)

⇒ **And all Multi-Fit attachments tools**



QJI 035

2 1/2 inch 51 mm
precise preciso
wood madera
plywood contrachapado
no drywall no constr. en seco
no aluminum no aluminio
careful cuidadoso
no nails no clavos



wood precise

QJI 065

2 1/2 inch 51 mm
precise preciso
wood madera
plywood contrachapado
no drywall no constr. en seco
no aluminum no aluminio
careful cuidadoso
no nails no clavos



wood precise

QSI 032

3 1/2 inch 77 mm
wood madera
plywood contrachapado
PVC PVC
aluminum aluminio
no nails no clavos
careful cuidadoso
max. level 4
max. nivel 4



wood plywood

QSI 042

3 1/2 inch 77 mm
wood madera
plywood contrachapado
PVC PVC
aluminum aluminio
no nails no clavos
careful cuidadoso
max. level 4
max. nivel 4



wood plywood

QUI 035

2 1/2 inch 51 mm
PVC PVC
wood madera
plywood contrachapado
aluminum aluminio
no drywall no constr. en seco
no nails no clavos
careful cuidadoso



wood PVC

QUI 065

2 1/2 inch 51 mm
PVC PVC
wood madera
plywood contrachapado
aluminum aluminio
no drywall no constr. en seco
no nails no clavos
careful cuidadoso



wood PVC

QUB 028

2 1/2 inch 51 mm
1 1/2 inch 32 mm
nails clavos
metal metal
wood madera
drywall constr. en seco
aluminum aluminio
careful cuidadoso
max. level 4
max. nivel 4



metal nails

QUB 043

2 1/2 inch 51 mm
1 1/2 inch 32 mm
nails clavos
metal metal
wood madera
drywall constr. en seco
aluminum aluminio
careful cuidadoso
max. level 4
max. nivel 4



metal nails

QSB 032

3 1/2 inch 77 mm
1 1/2 inch 32 mm
wood madera
plywood contrachapado
nails clavos
no metal no metal
careful cuidadoso
Extended Life
max. level 4
max. nivel 4



wood nails

QSB 042

3 1/2 inch 77 mm
1 1/2 inch 32 mm
wood madera
plywood contrachapado
nails clavos
no metal no metal
careful cuidadoso
Extended Life
max. level 4
max. nivel 4



wood nails

QSB 035

2 1/2 inch 51 mm
1 1/2 inch 32 mm
Extended Life
wood madera
drywall constr. en seco
nails clavos
no metal no metal
careful cuidadoso



wood nails

QSB 065

2 1/2 inch 51 mm
1 1/2 inch 32 mm
Extended Life
wood madera
drywall constr. en seco
nails clavos
no metal no metal
careful cuidadoso



wood nails

QUB 035

2 1/2 inch 51 mm
1 1/2 inch 32 mm
Extended Life
plywood contrachapado
wood madera
PVC PVC
nails clavos
metal metal
careful cuidadoso



wood metal

QUI 065

2 1/2 inch 51 mm
2 1/2 inch 51 mm
PVC PVC
wood madera
plywood contrachapado
aluminum aluminio
no drywall no constr. en seco
no nails no clavos
careful cuidadoso




wood PVC

QRB 032

3 1/2 inch 77 mm
1 1/2 inch 32 mm
wood madera
plywood contrachapado
drywall constr. en seco
no nails no clavos
careful cuidadoso
Extended Life
max. level 4
max. nivel 4



radical extended



Stiff Scraper MSS 065, OSS 065, QSS 065

Each Stiff Scraper is in a Clamshell and is available in 1 each or 3 each



Carpet Glue



Silicon



Tile Grout



Paint

Stiff Wave Scraper MWS 065, OWS 065, QWS 065

Each Stiff Wave Scraper is in a Clamshell and is available in 1 each or 3 each



Carpet Glue



Silicon



Tile Grout



Grout

Grouting Knife MFM 035, OFM 035, QFM 035

Each Grouting Knife comes in a clear poly bag available 1 each or 3 each



Silicon



Dilatation Joints



Tile Grout



Carpet Glue

Several new cutting edge sanding products

High quality sanding clothes & sanding meshes

Mesh adapter
QSA 092



Box contains 1 mesh adapter
Box contains 3 mesh adapters


OSP 080

OSP 100

OSP 120

OSP 150

OSP 240



Each OSP sanding mesh sheet is in a Box and available in 10 each or 25 each

Tile Pro QFP 070

Both sides carbide tipped


And Fits all Multi-Fit attachments tools



Each carbide coated tile blade is in a Box and available in 1 each or 3 each


Stainless steel brush MBC V2A

Each Stainless steel brush is in a Box and is available in 1 each or 3 each



Nylon brush MBN K 46

Each Nylon brush is in a Box and is available in 1 each or 3 each



HOW TO PLACE AN ORDER

CORAM order codes are designed to communicate and understand exactly what you need!

THE FIRST LETTER DEFINES THE ATTACHMENT TYPE

M = Multi-Fit

O = Open-Fit

Q = Quick-Fit

THE SECOND & THIRD LETTER DEFINES THE LINE

JI-LINE : Japanese-toothed, induction hardened

SI-LINE: Single point-toothed, induction hardened

UI-LINE: Universal-toothed, induction hardened

UB-LINE: Universal- toothed, BI-Metal

SB-LINE: Single point- toothed, BI-Metal

RB-LINE: Radical- toothed, BI-Metal

THE LAST THREE DIGITS SHOWS THE PACKAGING TYPE

001 Clamshell contains one saw blade

003 Clamshell contains three saw blades

005 Clamshell contains five saw blades

010 Box contains 10 saw blades


025 Box contains 25 saw blades

050 Box contains 50 saw blades

100 Box contains 100 saw blades

300 Box contains 300 saw blades

600 Box contains 600 saw blades



CORAM **TOOLS** **AM**

CORAM TOOLS USA, LLC.

1942 Poquonock Ave

Windsor, CT 06095

www.coramtoolsusa.com

thomas.berset@coram-tools.com

(860)477-7392

RETURN & OTHER POLICIES

100% reimbursement for unused and clean units

NO restocking fees, NO questions asked!

**FREE SHIPPING for orders worth \$ 100.00 and
up.**

30 days return term!

CORAM TOOLS, THE LEADING BRAND IN OSCILLATING SAW BLADES.